

Taps

• Design	420
• Renovation & construction	422
• Commercial	423
• Mixers	424
• Thermostatic shower sets	424
• Thermostatic mixers	425
• Utility	426
• Spare parts	427
• Budget	428



Tubig



Flexible hose high mixer

- 1 jet flexible hose
- Silicone ECOLOR[®] sheath
- Ceramic cartridge Ø 25 mm
- Flexible hoses F3/8"
- Height under nozzle 284 mm
- Total height 481 mm

	code
Chrome	TUB12C
Black	TUB12N
White	TUB12W
Purple	TUB12P
Orange	TUB12A
Blue	TUB12B



Danum

Extractible hose high mixer

- 2 jet flexible & extractible hose
- Ceramic cartridge Ø 35 mm
- Flexible hoses F3/8"
- Height under nozzle 180 mm
- Total height 395 mm

	code
Chrome	DAN14



Kome

High mixer

- Total black look
- Ceramic cartridge Ø 35 mm
- Flexible hoses F3/8"
- Height under nozzle 281 mm
- Total height 354 mm

	code
Black	KOM3N



Telo

Extractible hose high mixer

- 1 jet extractible hose
- Ceramic cartridge Ø 40 mm
- Flexible hoses F3/8"
- Height under nozzle 261 mm
- Total height 392 mm

	code
Chrome	TEL11



Kome

High mixer

- Total black look
- Ceramic cartridge Ø 35 mm
- Flexible hoses F3/8"
- Height under nozzle 214 mm
- Total height 334 mm

	code
Black	KOM2N

Dour



Basin mixer

- Ceramic cartridge Ø 25 mm
- Flexible hoses F3/8"
- CLIC CLAC brass drainage
- Height under nozzle 95 mm
- Total height 140 mm

	code
● Chrome	DOU15



Shower mixer

- Ceramic cartridge Ø 25 mm
- Center distance 150±20 mm
- Flexible hose outlet M1/2"

	code
● Chrome	DOU20



Bath/shower mixer

- Ceramic cartridge Ø 25 mm
- Center distance 150±20 mm
- Flexible hose outlet M1/2"
- Manual semi-automatic change-over

	code
● Chrome	DOU30

Metsi



Basin mixer

- Ceramic cartridge Ø 35 mm
- Brass drainage
- Height under nozzle 105 & 210 mm
- Total height 185 & 310 mm

	code
● Chrome medium	MET150
high	MET170



Shower mixer

- Ceramic cartridge Ø 35 mm
- Center distance 150±20 mm
- Flexible hose outlet M1/2"

	code
● Chrome	MET20



Bath/shower mixer

- Ceramic cartridge Ø 35 mm
- Center distance 150±20 mm
- Flexible hose outlet M1/2"
- Manual semi-automatic change-over

	code
● Chrome	MET30



Bidet mixer

- Ceramic cartridge Ø 35 mm
- Adjustable aerator
- Total height 185 mm

	code
● Chrome	MET40



Madi +



Mixer

- Ceramic cartridge Ø 35 mm
- Metal base Ø 43 mm
- 2 jet hose
- Height under nozzle 118 mm
- Total height 172 mm

	code
● Chrome	MPL11



Basin mixer

- Ceramic cartridge Ø 35 mm
- Metal base Ø 43 mm
- CLIC CLAC ABS drainage
- Height under nozzle 64 mm
- Total height 137 mm

	code
● Chrome	MPL15



High mixer

- Ceramic cartridge Ø 35 mm
- Metal base Ø 43 mm
- Height under nozzle 281 mm
- Total height 354 mm

	code
● Chrome	MPL13



Shower mixer

- Ceramic cartridge Ø 35 mm
- Center distance 150±20 mm

	code
● Chrome	MPL20



Bath/shower mixer

- Ceramic cartridge Ø 35 mm
- Center distance 150±20 mm
- Manual change-over

	code
● Chrome	MPL30



Mixer

- Ceramic cartridge Ø 35 mm
- Metal base Ø 43 mm
- Height under nozzle 130 mm
- Total height 145 mm

	code
● Chrome	MPL10



Bath/shower monohole mixer

- Ceramic cartridge Ø 40 mm
- Manual change-over

	code
● Chrome	MAA32



Voda



High mixer

- Ceramic cartridge Ø 35 mm
- Metal base Ø 43 mm
- Flexible hoses F3/8"
- Height under nozzle 214 mm
- Total height 334 mm

● Chrome

code
VOD13



Shower mixer

- Ceramic cartridge Ø 35 mm
- Center distance 150±20 mm

● Chrome

code
VOD20



Mixer

- Ceramic cartridge Ø 35 mm
- Metal base Ø 43 mm
- Flexible hoses F3/8"
- Height under nozzle 140 mm
- Total height 160 mm

● Chrome

code
VOD10



Bath/shower mixer

- Ceramic cartridge Ø 35 mm
- Center distance 150±20 mm
- Manual change-over

● Chrome

code
VOD30



Basin mixer

- Ceramic cartridge Ø 35 mm
- Metal base Ø 43 mm
- Flexible hoses F3/8"
- CLIC CLAC ABS drainage
- Height under nozzle 68 mm
- Total height 130 mm

● Chrome

code
VOD15



Bath/shower monohole mixer

- Ceramic cartridge Ø 35 mm
- Manual change-over

● Chrome

code
VOD32



Monofluid hand mixer

- Monofluid ceramic cartridge Ø 25 mm
- No drainage

● Chrome

code
VOD170



Bidet mixer

- Ceramic cartridge Ø 35 mm
- Adjustable nozzle

● Chrome

code
VOD40



Akvo



High mixer

- 1/2 turn ceramic heads
- Height under nozzle 212 mm
- Total height 263 mm

	code
● Chrome	AKV100



Shower mixer

- 1/2 turn ceramic heads
- Center distance 150±20 mm

	code
● Chrome	AKV200



Basin mixer

- 1/2 turn ceramic heads
- CLIC CLAC ABS drainage
- Height under nozzle 191 mm
- Total height 241 mm

	code
● Chrome	AKV150



Bath/shower mixer

- 1/2 turn ceramic heads
- Center distance 150±20 mm

	code
● Chrome	AKV300



Thermostatic shower sets

Mizu



Thermostatic shower set

- Mechanical shower mixer
- Ceramic cartridge
- Metal handle
- ABS shower head Ø 207 mm
- 3 jet ABS shower
- Chrome plated flexible 150 cm
- Chrome plated adjustable & sliding pipe 82 to 137 cm

	code
● Chrome	MIZ15



Thermostatic shower set

- Mechanical shower mixer
- Ceramic cartridge
- Metal handle
- ABS adjustable shower head Ø 220 mm
- 2 jet ABS shower
- Chrome plated flexible 150 cm
- Chrome plated pipe 135 cm

	code
● Chrome	MIZ22

Wata +



Thermostatic shower mixer

- Ceramic cartridge
- Thermostatic cartridge
- ABS crosspieces
- "Cold" body
- Flow limiter
- Scalding protection
- Center distance 150±20 mm

	code
● Chrome	WPL50



Thermostatic bath/shower mixer

- Ceramic cartridge
- Thermostatic cartridge
- ABS crosspieces
- "Cold" body
- Manual ceramic change-over
- Scalding protection
- Center distance 150±20 mm

	code
● Chrome	WPL55

Mizu



Thermostatic shower mixer

- Ceramic cartridge
- Thermostatic cartridge
- ABS crosspieces
- Flow limiter
- Scalding protection
- Center distance 150±20 mm

	code
● Chrome	MIZ50



Thermostatic bath/shower mixer

- Ceramic cartridge/change-over
- Thermostatic cartridge
- ABS crosspieces
- Manual change-over
- Flow limiter
- Scalding protection
- Center distance 150±20 mm

	code
● Chrome	MIZ55

Thuk



Thermostatic shower mixer

- Ceramic cartridge
- Thermostatic cartridge
- ABS crosspieces
- Flow limiter
- Scalding protection
- Center distance 150±20 mm

	code
● Chrome	THU50



Thermostatic bath/shower mixer

- Ceramic cartridge/change-over
- Thermostatic cartridge
- ABS crosspieces
- Manual change-over
- Flow limiter
- Scalding protection
- Center distance 150±20 mm

	code
● Chrome	THU55

Vatten



Infrared basin mixer

- Monofluid
- 4AA battery waterproof housing
- Safety: automatic shut-off 30 s
- 70-80% water saving
- Temperature setting with lateral handle

	code
● Chrome	VAT61IR

Wetter



Basin tap

- Monofluid
- Temporisation 15 s
- Flow limiter 6l/mn

	code
● Chrome	WET80TMP

Abba



Basin mixer

- Shock absorbing long handle
- Ceramic cartridge Ø 35 mm
- Height under nozzle 102 mm

	code
● Chrome	ABB80PMR



Basin tap

- Monofluid
- Temporisation 15 s
- Flow limiter 6l/mn

	code
● Chrome	WET82TMP



Mixer

- Shock absorbing long handle
- Ceramic cartridge Ø 35 mm
- Adjustable nozzle
- Height under nozzle 140 mm

	code
● Chrome	ABB82PMR



Basin tap & mixer

- Monofluid
- Temporisation 15 s
- Flow limiter 6l/mn

	code
● Chrome	WET84TMP



Flexible hose

- PVC
- Length 150 cm
- Antitwist
- Flow limiter 9l/mn

code
UDE10FLA



Shower spray

- White ABS
- Normal jet
- Ø 65 mm
- Anti-calcareous

code
UDE100DO



Flexible hose

- Chrome
- Double interlocking
- Length 150 cm

code
UDE15FLA



Shower spray

- Chrome ABS
- Normal jet
- Ø 84 mm
- Anti-calcareous

code
UDE180DO



Flexible hose

- Chrome
- Double interlocking
- Length 175 cm

code
UDE17FLA



Shower spray

- Chrome ABS
- Normal jet & rain jet
- Ø 84 mm
- Anti-calcareous

code
UDE380DO



Shower set

- Spray: chrome plated stainless steel, 1 normal jet, Ø 84 mm, anti-calcareous
- Flexible: chrome plated/black, PVC, length 150 cm, antitwist, flow limiter 9l/mn
- Bar: chrome plated stainless steel, usable length 50 cm, 2 steady points, Ø 19 mm

code
UDE150BA



Aerator

- Anti-calcareous

code
M 18/100 AERT0
F 22/100 AERT1
M 24/100 AERT2
M 28/100 AERT3



Shower set

- Spray: chrome plated stainless steel, 1 normal jet, Ø 84 mm, anti-calcareous
- Flexible: chrome plated stainless steel, double interlocking, length 175 cm,
- Bar: chrome plated stainless steel, usable length 47 cm, 1 steady point, 1 adjustable point, Ø 25 mm

code
UDE175BA



Aerator

- Flow 6l/mm
- Flow limiter

code
F 22/100 AERTECO1
M 24/100 AERTECO2



Shower set

- Spray: chrome plated stainless steel, rain jet, massage jet, Ø 84 mm, anti-calcareous
- Flexible: chrome plated, double interlocking, length 175 cm
- Bar: chrome plated stainless steel, usable length 47 cm, 1 steady point, 1 adjustable point, Ø 25 mm

code
AGH175BA



Universal drainage "Push-up"

- Chrome plated brass extension M 33/42, length 120 mm, Ø 30 mm, for sink with overflow Ø 30 to Ø 40 mm

code
with overflow BOND1
without overflow BOND2



Shaft

- Height 70 mm

code
MM 1521-2027 COLONLUX



Mandatory packing: as indicated below.



Sink mixer

- Checks head
- ABS crosspieces

pack	code
10	3456630013069



Sink mixer

- Cartridge Ø 35
- Body Ø 40

pack	code
10	3456630013076



Basin mixer

- Checks head
- ABS crosspieces

pack	code
10	3456630013106



Basin mixer

- Cartridge Ø 35
- Body Ø 40
- ABS drainage

pack	code
6	3456630013137



Shower mixer

- Checks head
- ABS crosspieces
- Center distance 150 ± 15 mm

pack	code
6	3456630013120



Shower mixer

- Cartridge Ø 35
- Body Ø 40
- Center distance 150 ± 15 mm

pack	code
6	3456630013151



Bath/shower mixer

- Checks head
- ABS crosspieces
- Center distance 150 ± 15 mm

pack	code
6	3456630013113



Bath/shower mixer

- Cartridge Ø 35
- Body Ø 40
- Center distance 150 ± 15 mm

pack	code
6	3456630013144



Shower thermostatic mixer

- 1/4 turn heads
- Scalding protection
- Center distance 150 ± 15 mm

pack	code
10	3456630013045



Bath/shower thermostatic mixer

- 1/2 turn ceramic heads
- Thermostatic cartridge with scalding protection
- Center distance 150 ± 15 mm

pack	code
10	3456630013052



Bidet mixer

- Adjustable aerator
- Projection 96 mm

pack	code
10	3456630013311

